

# SAFETY DATA SHEET

### 1. Identification

Product identifier	CIMPERIAL <sup>®</sup> 1070 BLUE
	METALWORKING FLUID
Other means of identification	
SDS number	Not applicable
Recommended use	METALWORKING FLUID
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Supplie	r/Distributor information
•	

Company name	CIMCOOL® Industrial Products LLC 3000 Disney Street Cincinnati, Ohio 45209
Telephone (General Information)	513-458-8100
Emergency telephone	1-800-424-9300 (CHEMTREC)
Emergency telephone	1-703-527-3887 (CHEMTREC)

## number (outside USA) 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin irritation	Category 2
	Serious eye irritation	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning
Hazard statement	Causes skin irritation. Causes serious eye irritation.
Precautionary statement	
Prevention	Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Use in manufacturing processes only.
	The classified hazards shown on this SDS are associated with the product concentrate. These

The classified hazards shown on this SDS are associated with the product concentrat hazards are not expected under recommended use conditions and dilution.

### 3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES		64742-52-5	40 - 50
ALKANES C14-16, CHLORO		1372804-76-6	10 - 20
MONOETHANOLAMINE		141-43-5	3 - 5
TRIAZINETRIETHANOL		4719-04-4	1 - 3
TRIETHANOLAMINE		102-71-6	1 - 3
Other components below report			20 - 30
	us ingredients have been withheld as a trade s	secret.	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptor intended use, this material is not expected to	be an inhalation hazard.	
Skin contact	Rinse skin with water. If skin irritation or rash contaminated clothing before reuse.		
Eye contact	Rinse with water. Remove contact lenses, if attention if irritation develops and persists.		-
Ingestion	Rinse mouth thoroughly. Do not give liquids. low so that stomach content doesn't get into unwell.	the lungs. Get medical advice/a	ttention if you feel
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause tempora redness, swelling, and blurred vision. Skin ir		ude stinging, tearing,
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and trees and trees and trees and trees and trees and trees are as a support of the second sec	eat symptomatically. Symptoms	may be delayed.
General information	If exposed or concerned: Get medical advice attendance.	e/attention. Show this safety dat	a sheet to the doctor in
5. Fire-fighting measures			
Suitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide appropriate to local circumstances and the s		sures that are
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as t	his will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may l	be formed.	
Special protective equipment and precautions for firefighters	Wear suitable protective equipment.		
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.	
Specific methods	Use standard firefighting procedures and con event of fire and/or explosion do not breathe		lved materials. In the
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothin or spilled material unless wearing appropriat Local authorities should be advised if signific protection, see section 8 of the SDS.	ng during clean-up. Do not touch te protective clothing. Ensure ad cant spillages cannot be contain	damaged containers equate ventilation. ed. For personal
Methods and materials for containment and cleaning up	Local authorities should be advised if signific miscible in water. Clean up in accordance w		ed. This product is
	Large Spills: Stop the flow of material, if this possible. Absorb in vermiculite, dry sand or e recovery, flush area with water.		
	Small Spills: Wipe up with absorbent materia remove residual contamination.	al (e.g. cloth, fleece). Clean surfa	ace thoroughly to

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

### 7. Handling and storage

Precautions for safe handling	Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

U.S.	- OSHA	

U.S OSHA		
	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)	PEL	5 mg/m3
US. OSHA Table Z-1 Limits f	or Air Contaminants (29 CFR 1910 Type	1000) Value
MONOETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m3
		3 ppm
US. NIOSH: Pocket Guide to	Chemical Hazards	
	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	8 mg/m3
		3 ppm
ACGIH		
	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5) US. ACGIH Threshold Limit	TWA	5 mg/m3
03. ACGIA Threshold Linit	Type	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
propriate engineering htrols	should be matched to conditions. If or other engineering controls to main	0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation, ntain airborne levels below recommended exposure limits. If blished, maintain airborne levels to an acceptable level. Provide
ividual protection measures.	such as personal protective equip	ment
Eye/face protection		ds (or goggles). Do not get in eyes. Eye wash fountain is
Skin protection		
Skin protection Hand protection	Nitrile gloves are recommended.	
-	Nitrile gloves are recommended. Wear appropriate chemical resistan	t clothing.

Wear appropriate thermal protective clothing, when necessary.

Thermal hazards General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties CLEAR Appearance **Physical state** Liquid. Liquid. Form Color Not available. Odor CHEMICAL Not available. **Odor threshold** рH Not Applicable < 30 °F (< -1.1 °C) Melting point/freezing point Initial boiling point and boiling Not available. range 385 °F (196.1 °C) Cleveland Open Cup Flash point **Evaporation rate** Like water when diluted Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower Not available. (%) Flammability limit - upper Not available. (%) Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density **Relative density** Not available. Solubility(ies) 100 % Miscible Solubility (water) Not available. Partition coefficient (n-octanol/water) Not available. Auto-ignition temperature **Decomposition temperature** Not available. Not available. Viscosity Other information **Explosive properties** Not explosive. Combustible IIIB Flash point class Not oxidizing. **Oxidizing properties** 8.6 @ 5% pH in aqueous solution Specific gravity 1.015 14 % VOC ASTM D2369

10	Stability	and	read	ctivity
10.	JUDINIU	anu	ισαν	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines Acids. Oxidizing agents.

### 11. Toxicological information

Information on likely routes of e	exposure
Inhalation	Not classified.
Skin contact	Causes skin irritation.
Eye contact	Causes eye irritation.
Ingestion	Not classified.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.

#### Information on toxicological effects

ALKANES C14-16, CHLORO ( <u>Acute</u> Dermal <i>Liquid</i> LD50	CAS 1372804-76-6) Rabbit	> 2000 mg/kg
<b>Dermal</b> Liquid	Rabbit	> 2000 ma/ka
Liquid	Rabbit	> 2000 ma/ka
	Rabbit	> 2000 ma/ka
LD50	Rabbit	> 2000 ma/ka
Oral		
Liquid		
LD50	Rat	> 5000 mg/kg
MONOETHANOLAMINE (CAS	141-43-5)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	1025 mg/kg
SEVERELY-HYDROTREATED	NAPHTHENIC PETROLEUM DISTI	LATES (CAS 64742-52-5)
<u>Acute</u>		
Dermal		
Liquid		
LD50	Rabbit	> 2000 mg/kg
Oral		
Liquid		
LD50	Rat	> 5000 mg/kg
TRIAZINETRIETHANOL (CAS	4719-04-4)	
<u>Acute</u>		
Dermal		
Liquid		
LD50	Rat	4000 mg/kg
Oral		
Liquid	Det	
LD50	Rat	1000 mg/kg
TRIETHANOLAMINE (CAS 10)	2-71-6)	
<u>Acute</u>		
Dermal		
Liquid	Rabbit	> 2000 mallia
LD50	Rabbit	> 2000 mg/kg
Oral		
<i>Liquid</i> LD50	Rat	4100 mg/kg
		4190 mg/kg
Skin corrosion/irritation	Causes skin irritation.	

Serious eye damage/eye irritation	Causes eye irritation.		
Respiratory or skin sensitizatior	1		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
	Oil /Distillate meets the EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.		
IARC Monographs. Overall Evaluation of Carcinogenicity			
TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)			
Not regulated.			
US. National Toxicology Program (NTP) Report on Carcinogens			
Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Not classified.		
Further information	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.		

### 12. Ecological information

Ecotoxicity

Contains a substance which causes risk of hazardous effects to the environment.

Components		Species	Test Results
ALKANES C14-16, CH	HLORO (CAS 1372	804-76-6)	
Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 0.1 mg/l, 96 hours
MONOETHANOLAMI	NE (CAS 141-43-5)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	114 - 196 mg/l, 96 hours
Acute			
Crustacea	EC50	Daphnia	65 mg/l, 48 hours ECHA
TRIAZINETRIETHAN	OL (CAS 4719-04-4	)	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	11.9 mg/l, 48 hours ECHA
Fish	LC50	Fish	16 - 240 mg/l, 96 hours ECHA
TRIETHANOLAMINE	(CAS 102-71-6)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	450 - 1000 mg/l, 96 hours
sistence and degrada	bility No data is	s available on the degradability of any ingre	edients in the mixture.
		5 , , , ,	

**Bioaccumulative potential** 

Partition coefficient n-octar	nol / water (log Kow)		
MONOETHANOLAMINE	-1.31		
TRIAZINETRIETHANOL	-2		
TRIETHANOLAMINE	-2.3		
Bioconcentration factor (BCF)			
MONOETHANOLAMINE	< 3.2, ESTIMATED		
Mobility in soil	This product is miscible in water.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

### 14. Transport information

#### DOT

••	
UN number	UN3082
UN proper shipping name	Environmentally hazardous substances, liquid, n.o.s. (ALKANES C14-16, CHLORO), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Label(s)	9
Packing group	
Environmental hazards	
Marine pollutant	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	8, 146, 335, IB3, T4, TP1, TP29
Packaging exceptions	155
Packaging non bulk	203
Packaging bulk	241
Supplemental Information: 490	FR 171.4 excludes "non-bulk"packages (119 gallons or less) from Marine Pollutant Requirements


unless all or part of the shipment is by vessel.

#### ΙΑΤΑ

UN3082		
Environmentally hazardous substance, liquid, n.o.s. (ALKANES C14-16, CHLORO)		
9		
-		
III		
Yes		
9L		
er Read safety instructions, SDS and emergency procedures before handling.		
Allowed with restrictions.		
Allowed with restrictions.		
UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES C14-16, CHLORO), MARINE POLLUTANT		

Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	

DOT; IATA; IMDG



Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

#### 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311 and 312 if specific threshold criteria are met or exceeded.

Notification (40 CFR 707, Su	bpt. D)
ns, Chemicals of Concern	
ORO (CAS 1372804-76-6)	Short-Chain Chlorinated Paraffins (SCCPs) and Other Chlorinated Paraffins Action Plan
ance List (40 CFR 302.4)	
ase notification	
ed Substances (29 CFR 1910.	1001-1052)
eauthorization Act of 1986 (S	ARA)
dous substance	
Yes	
Skin corrosion or irritation	
Serious eye damage or eye	irritation

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act	Not regulated.
(SDWA)	

US state regulations

California South Coast Air	This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the
Quality Management	SCAQMD. The VOC content of the product is 101 g/L, measured by ASTM Method E-1868-10.
District (SCAQMD) Rule 1144 (VOC Emissions)	This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration is 74 $\%$ to maintain compliance.

#### **California Proposition 65**

**WARNING:** This product can expose you to chemicals including Diethanolamine, which is known to the State of California to cause cancer, and Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

Diethanolamine (CAS 111-42-2) Listed: June 22, 2012

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene Glycol (CAS 107-21-1) Listed: June 19, 2015

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

ALKANES C14-16, CHLORO (CAS 1372804-76-6) Diethanolamine (CAS 111-42-2)

Ethylene Glycol (CAS 107-21-1)

SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)

#### International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

#### 16. Other information, including date of preparation or last revision

Issue date	03-06-2014
Revision date	03-25-2019
Version #	08
NFPA ratings	Health: 1 Flammability: 1 Instability: 0



Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Cimcool Lab Notebook Code Composition / Information on Ingredients: Component Summary Physical & Chemical Properties: Multiple Properties Physical and chemical properties: Odor